



ANCHORS&CASTINGS



ANCHORS&CASTINGS



质量检测
Inspecting



ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)



客户参观
clients visit



浇铸 Moulding



ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)



部分产品
part of products




ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)

ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)




无杆锚
STOCKLESS ANCHOR




锚的名义重量 kg NOMINAL WEIGHT	L	C ₁	C	B	H	A
50	400	85	270	284	172	450
75	480	82	318	339	200	550
100	540	92	358	381	232	760
120	570	97	420	402	245	800
140	600	102	443	424	258	840
165	630	107	466	445	271	880
180	650	111	480	459	280	910
200	660	112	487	466	284	920
240	720	122	530	510	310	1010
300	770	131	570	540	331	1080
360	820	139	610	580	353	1150
420	860	146	640	610	370	1200
480	900	153	670	640	387	1260
570	950	162	700	670	408	1330
660	100	170	740	710	430	1400
780	1060	180	780	750	456	1480
900	1110	189	820	780	477	1550
1020	1160	197	860	820	500	1620
1140	1200	204	890	850	520	1680
1290	1250	212	920	880	540	1750
1440	1300	221	960	920	560	1820
1590	1340	228	990	950	580	1880
1740	1380	235	1020	980	600	1930
1920	1430	243	1060	1010	620	2000
2100	1470	250	1090	1040	640	2060
2280	1510	257	1120	1070	650	2110
2460	1550	264	1150	1100	670	2170
2640	1590	270	1180	1120	690	2230
2850	1630	277	1210	1150	700	2280
3060	1670	284	1240	1180	720	2340
3300	1710	291	1270	1210	740	2390
3540	1750	298	1290	1240	750	2450
3870	1790	304	1320	1260	770	2510
4050	1830	311	1350	1290	790	2560

锚的名义重量 kg NOMINAL WEIGHT	L	C ₁	C	B	H	A
4320	1870	318	1380	1320	800	2620
4590	1910	325	1410	1350	820	2670
4890	1950	332	1440	1380	840	2730
5250	2000	340	1480	1410	860	2800
5610	2040	347	1510	1440	880	2860
6000	2090	355	1540	1480	900	2930
6450	2140	364	1580	1510	920	3000
6900	2190	372	1620	1550	940	3070
7350	2240	380	1650	1580	960	3140
7800	2280	388	1680	1610	980	3190
8300	2330	396	1720	1650	1000	3260
8700	2370	403	1750	1670	1020	3320
9300	2420	411	1790	1710	1040	3390
9900	2470	420	1820	1740	1060	3460
10500	2520	428	1860	1780	1080	3530
11100	2570	437	1900	1820	1100	3600
11700	2610	444	1930	1840	1120	3650
12300	2650	450	1960	1870	1140	3710
12900	2690	457	1990	1900	1160	3770
13500	2740	466	2020	1940	1180	3840
14100	2780	473	2050	1960	1200	3890
14700	2820	479	2080	1990	1210	3950
15400	2860	486	2110	2020	1230	4000
16100	2900	493	2140	2050	1250	4060
16900	2950	500	2180	2080	1270	4130
17800	3000	510	2210	2120	1290	4200
18800	3060	520	2260	2160	1320	4280
20000	3120	530	2300	2200	1340	4370
21500	3200	540	2360	2260	1380	4480
23000	3270	560	2410	2310	1410	4580
24500	3340	570	2460	2360	1440	4680
26000	3410	580	2520	2410	1470	4770
27500	3470	590	2560	2450	1490	4860
29000	3530	600	2610	2490	1520	4940

ANCHORS&CASTINGS



霍尔锚
HALL TYPE ANCHOR




锚的名义重量 kg NOMINAL WEIGHT	A			B	C	C ₁	L	H
	A型	B型	C型					
40	557	557	430	303	303	67	430	198
60	637	637	492	347	347	76	492	227
100	760	760	590	410	410	90	582	270
125	814	814	620	443	443	97	620	290
150	866	866	665	470	470	103	670	308
180	919	919	710	500	500	110	710	327
240	1019	1019	788	552	552	121	784	361
300	1095	1095	850	595	595	130	844	388
360	1160	1160	898	630	630	138	898	412
420	1222	1222	946	660	660	145	946	434
480	1282	1282	986	690	690	152	986	454
570	1356	1356	1042	732	732	161	1042	481
660	1422	1422	1093	769	769	169	1096	506
780	1506	1506	1159	813	813	178	1160	535
900	1580	1580	1215	855	855	188	1220	560
1020	1645	1645	1268	891	891	195	1268	584
1140	1705	1705	1316	926	926	203	1319	605
1290	1778	1778	1378	965	965	211	1374	630
1440	1844	1844	1448	1001	1001	219	1430	655
1590	1906	1906	1511	1035	1035	226	1475	677
1740	1966	1966	1571	1068	1068	234	1517	698
1920	2031	2031	1602	1104	1104	241	1568	722
2100	2093	2093	1651	1136	1136	249	1614	743
2280	2150	2150	1716	1165	1165	255	1657	763
2460	2207	2207	1785	1194	1194	262	1700	784
2640	2259	2259	1843	1221	1221	268	1741	801
2850	2318	2318	1890	1253	1253	275	1787	822
3060	2374	2374	1935	1283	1283	282	1832	841
3300	2432	2432	1985	1317	1317	288	1880	862
3540	2490	2490	2032	1349	1349	295	1926	883

锚的名义重量 kg NOMINAL WEIGHT	A			B	C	C ₁	L	H
	A型	B型	C型					
3780	2547	2547	2077	1376	1376	302	1965	902
4050	2610	2610	2125	1406	1406	309	2008	924
4320	2661	2661	2171	1435	1435	316	2051	943
4590	2712	2712	2216	1465	1465	322	2093	962
4890	2769	2769	2263	1498	1498	329	2135	984
5250	2836	2836	2317	1535	1535	337	2185	1008
5610	2899	2899	2369	1569	1569	345	2234	1031
6000	2965	2965	2422	1605	1605	352	2284	1054
6450	3037	-	2482	1644	1644	361	2340	1080
6900	3100	-	2538	1681	1681	369	2393	1105
7350	3173	-	2592	1717	1717	377	2444	1129
7800	3235	-	2644	1752	1752	385	2493	1152
8300	3303	-	2699	1788	1788	393	2545	1176
8700	3355	-	2742	1816	1816	399	2585	1195
9300	3430	-	2804	1857	1857	408	2643	1222
9900	3502	-	2863	1896	1896	417	2699	1248
10500	3571	-	2920	1934	1934	425	2752	1273
11100	3638	-	2975	1970	1970	433	2803	1297
11700	3702	-	3028	2005	2005	441	2853	1320
12300	3764	-	3079	2039	2039	448	2901	1342
12900	3824	-	3128	2072	2072	455	2947	1363
13500	3882	-	3176	2104	2104	462	2992	1384
14100	3939	-	3222	2135	2135	469	3036	1404
14700	3994	-	3267	2165	2165	476	3078	1424
15400	4056	-	3318	2199	2199	483	3126	1446
16100	4117	-	3368	2232	2232	490	3173	1468
16900	4184	-	3423	2268	2268	498	3225	1492
17800	4252	-	3479	2308	2308	506	3281	1518
18800	4330	-	3543	2350	2350	516	3341	1546
20000	4420	-	3617	2399	2399	526	3411	1578

ANCHORS&CASTINGS

AC-14大抓力锚 AC-14 H.H.P. ANCHOR



锚的名义重量 kg NOMINAL WEIGHT	A	L	H	C	C ₁	B
30	491	440	136	299	85	236
45	590	529	164	359	107	283
75	677	605	188	411	122	324
94	718	643	199	437	130	344
112.5	745	668	207	452	135	357
135	821	737	228	500	143	394
180	904	811	251	550	157	434
225	974	874	270	593	169	468
270	1035	929	287	630	180	497
315	1090	978	302	663	189	524
360	1139	1022	316	694	198	547
427.5	1194	1071	331	727	206	574
495	1251	1122	347	762	216	602
585	1360	1221	378	828	236	654
675	1398	1254	387	851	242	672
765	1483	1304	404	885	264	698
855	1520	1363	423	925	267	729
967.5	1590	1425	440	968	275	764
1080	1631	1462	451	993	282	784
1192.5	1660	1490	465	1011	287	798
1305	1751	1580	488	1072	305	846
1440	1795	1610	497	1093	311	862


锚的名义重量 kg NOMINAL WEIGHT	A	L	H	C	C ₁	B
1575	1855	1665	514	1130	321	892
1710	1900	1705	526	1157	329	913
1845	1940	1741	538	1182	336	933
1980	1977	1774	548	1203	342	950
2137.5	2018	1809	559	1227	349	969
2295	2089	1874	579	1272	362	1004
2475	2150	1929	596	1309	373	1033
2655	2201	1975	610	1340	382	1057
2835	2253	2022	624	1372	390	1083
3037.5	2302	2068	638	1402	399	1107
3240	2352	2110	652	1432	407	1130
3442.5	2400	2154	665	1462	415	1154
3667.5	2451	2200	680	1493	424	1178
3937.5	2510	2252	696	1529	434	1207
4207.5	2568	2303	711	1563	444	1234
4500	2624	2355	727	1598	454	1261
4837.5	2688	2412	745	1637	465	1292
5175	2749	2467	762	1674	476	1321
5512.5	2808	2520	778	1710	486	1350
5850	2864	2570	794	1744	496	1376
6225	2923	2623	810	1780	506	1405
6525	2970	2665	823	1808	514	1428

锚的名义重量 kg NOMINAL WEIGHT	A	L	H	C	C ₁	B
6975	3042	2730	843	1853	527	1462
7425	3100	2782	859	1888	537	1490
7875	3162	2837	876	1925	547	1520
8325	3221	2890	893	1961	558	1548
8775	3278	2942	909	1996	567	1576
9225	3333	2991	924	2030	577	1602
9675	3386	3039	939	2062	586	1628
10125	3438	3085	953	2094	595	1653
10575	3488	3130	967	2124	604	1677
11025	3537	3174	981	2154	612	1700
11550	3592	3224	996	2188	622	1727
12075	3646	3272	1011	2220	631	1753
12675	3705	3325	1027	2256	641	1781
13350	3770	3383	1045	2296	653	1812
14100	3839	3445	1064	2338	665	1846
15000	3919	3517	1086	2387	678	1884
16125	4015	3603	1113	2445	695	1930
17250	4106	3685	1138	2501	711	1974
18375	4194	3763	1163	2554	726	2016
19500	4278	3839	1186	2605	740	2056

ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)

DZ-14大抓力平衡锚 DZ-14 H.H.P. BALANCE ANCHOR




锚的名义重量 kg NOMINAL WEIGHT	A	B	C	C ₁	L	H
50	585	281	352	106	525	162
75	669	322	402	121	601	185
90	711	342	428	128	638	197
100	737	354	443	133	662	204
135	816	392	491	147	732	226
180	896	431	540	162	805	249
225	966	464	581	174	867	268
340	1110	533	667	201	996	308
460	1225	589	737	221	1100	340
544	1296	623	780	234	1163	359
675	1393	670	838	252	1251	386
750	1443	694	868	261	1295	400
855	1509	725	907	273	1354	418
910	1540	740	926	278	1382	427
1000	1590	764	956	287	1427	441
1140	1661	798	999	300	1491	460
1360	1761	846	1059	318	1580	488
1440	1795	863	1079	324	1611	497
1590	1855	892	1116	335	1665	514
1820	1939	932	1166	350	1740	537
2040	2015	968	1212	364	1809	558
2270	2089	1004	1256	377	1875	579
2720	2217	1066	1333	401	1990	614
3040	2301	1106	1384	416	2065	638
3240	2351	1130	1414	425	2110	651
3445	2401	1154	1444	434	2155	665
3670	2451	1178	1474	443	2200	679
3940	2511	1206	1509	453	2251	695
4210	2566	1233	1543	464	2303	711
4500	2624	1261	1578	474	2355	727
4840	2687	1291	1616	485	2412	744
5175	2750	1353	1693	509	2527	780

锚的名义重量 kg NOMINAL WEIGHT	A	B	C	C ₁	L	H
5575	2818	1354	1695	509	2529	781
5850	2863	1376	1722	517	2567	793
6225	2923	1405	1758	528	2623	810
6525	2970	1427	1786	537	2666	823
6600	2981	1432	1793	538	2675	826
7015	3041	1461	1829	549	2729	843
7425	3102	1491	1865	560	2784	859
7875	3162	1520	1901	571	2838	876
8325	3222	1549	1938	582	2892	893
8775	3277	1575	1971	592	2941	908
9225	3332	1601	2004	602	2991	923
9675	3386	1627	2036	611	3038	938
10125	3437	1652	2067	621	3085	952
10575	3487	1677	2099	630	3132	967
10690	3500	1682	2105	632	3142	970
11025	3537	1700	2127	639	3175	980
11250	3561	1711	2141	643	3196	987
11550	3592	1726	2160	649	3224	995
11850	3624	1741	2179	655	3252	1004
12075	3647	1753	2193	659	3273	1011
12525	3700	1774	2220	667	3313	1023
12675	3705	1781	2228	669	3325	1027
13200	3755	1804	2258	678	3370	1040
13350	3771	1812	2268	681	3384	1045
13875	3818	1835	2296	690	3427	1058
14100	3839	1845	2309	693	3445	1064
15000	3920	1884	2358	708	3518	1086
16125	4015	1929	2414	725	3603	1112
17250	4107	1973	2470	742	3686	1138
18375	4193	2015	2522	757	3763	1162
19500	4277	2055	2572	773	3839	1185

ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)

斯 贝 克 锚 SPEK TYPE ANCHOR



锚的名义重量 kg NOMINAL WEIGHT	A	B	L	C	C ₁	H
50	537	298	411	298	89	185
75	638	355	489	355	106	213
100	703	390	539	390	117	234
140	786	437	603	437	131	262
180	855	475	655	475	142	285
210	900	500	690	500	150	300
240	900	500	690	500	150	300
300	990	550	760	550	166	330
360	1080	600	828	600	180	360
420	1080	600	828	600	180	360
450	1150	600	828	600	180	360
480	1170	650	900	650	196	390
570	1170	650	900	650	196	390
610	1260	700	962	700	210	420
660	1260	700	962	700	210	420
750	1350	750	1032	750	225	450
780	1350	750	1032	750	225	450
900	1440	800	1100	800	240	480
950	1460	800	1100	800	240	480
1020	1530	850	1170	850	252	510
1140	1620	900	1240	900	268	540
1290	1710	950	1300	950	279	570
1440	1710	950	1300	950	279	570
1500	1710	950	1300	950	279	570
1590	1710	950	1300	950	279	570


锚的名义重量 kg NOMINAL WEIGHT	A	B	L	C	C ₁	H
1600	1710	950	1300	950	279	570
1740	1800	1000	1378	1000	300	600
1920	1890	1050	1454	1050	312	630
2100	1890	1050	1454	1050	312	630
2195	1890	1050	1454	1050	312	630
2280	1980	1050	1454	1050	312	630
2460	2010	1100	1514	1100	324	660
2640	2070	1150	1584	1150	352	690
2850	2070	1150	1584	1150	352	690
3060	2160	1200	1650	1200	360	720
3300	2160	1200	1650	1200	360	720
3540	2350	1200	1650	1200	360	720
3780	2430	1350	1850	1350	393	810
4050	2430	1350	1850	1350	393	810
4320	2520	1400	1926	1400	413	852
4590	2520	1400	1926	1400	413	852
4890	2520	1400	1926	1400	413	852
5250	2610	1450	2000	1450	414	870
5610	2610	1450	2000	1450	414	870
5800	2700	1500	2060	1500	446	900
6000	2700	1500	2060	1500	446	900
6450	2700	1500	2060	1500	446	900
6900	2890	1550	2138	1550	456	930
7350	2890	1550	2138	1550	456	930
7800	2920	1550	2138	1550	456	930

锚的名义重量 kg NOMINAL WEIGHT	A	B	L	C	C ₁	H
8000	3060	1550	2138	1550	456	930
8300	3060	1700	2332	1700	510	1020
8700	3060	1700	2332	1700	510	1020
9300	3060	1700	2332	1700	510	1020
9900	3160	1700	2332	1700	510	1020
10500	3190	1770	2440	1770	531	1080
11100	3290	1770	2440	1770	531	1080
11700	3390	1770	2440	1770	531	1080
12300	3440	1910	2632	1910	573	1146
12900	3440	1910	2632	1910	573	1146
13500	3440	1910	2632	1910	573	1146
14100	3440	1910	2632	1910	573	1146
14700	3690	2050	2824	2050	615	1230
15400	3690	2050	2824	2050	615	1230
16100	3690	2050	2824	2050	615	1230
16900	3820	2120	2922	2120	636	1270
17800	3920	2120	2922	2120	636	1270
18800	3970	2190	3018	2190	657	1314
20000	4070	2190	3018	2190	657	1314
21500	4168	2243	3090	2243	673	1346
23000	4265	2295	3163	2295	689	1377
24500	4355	2343	3229	2343	703	1406
26000	4440	2389	3293	2389	717	1434
27500	4526	2435	3356	2435	731	1461
29000	4621	2494	3438	2494	748	1494

ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)

M 型斯 贝 克 锚 SPEK TYPE ANCHOR (TYPE M)




锚的名义重量 kg NOMINAL WEIGHT	A	B	B ₁	C	C ₁	H
80	611	339	468	336	108	222
105	669	371	512	368	120	242
135	669	371	512	368	149	254
180	800	455	613	440	142	290
240	800	455	613	440	182	304
300	949	527	727	522	168	344
360	949	527	727	522	190	358
420	1062	590	813	584	188	385
480	1062	590	813	584	211	395
570	1175	653	900	647	208	428
660	1175	653	900	647	236	438
780	1305	725	1000	718	231	473
900	1305	725	1000	718	264	485
1020	1428	793	1093	785	252	518
1140	1428	793	1093	785	277	530
1290	1544	858	1182	850	273	561
1440	1544	858	1182	850	299	573
1590	1655	920	1268	911	293	601
1740	1655	920	1268	911	315	611
1920	1761	980	1350	970	312	640
2100	1761	980	1350	970	337	650
2280	1866	1038	1430	1027	331	678
2460	1866	1038	1430	1027	355	688
2640	1959	1090	1500	1079	347	712
2850	1959	1090	1500	1079	370	722
3060	2058	1144	1578	1133	365	748
3300	2058	1144	1578	1133	387	760
3540	2159	1202	1656	1189	383	785
3780	2159	1202	1656	1189	405	797

锚的名义重量 kg NOMINAL WEIGHT	A	B	B ₁	C	C ₁	H
4050	2258	1257	1732	1244	400	821
4320	2258	1257	1732	1244	422	831
4590	2258	1257	1732	1244	444	841
4890	2405	1338	1846	1325	426	874
5250	2405	1338	1846	1325	450	888
5610	2577	1432	1974	1418	431	936
6000	2577	1432	1974	1418	457	936
6450	2577	1432	1974	1418	483	950
6900	2757	1533	2112	1518	462	1001
7350	2757	1533	2112	1518	488	1001
7800	2757	1533	2112	1518	514	1015
8300	2916	1621	2234	1605	489	1059
8700	2916	1621	2234	1605	517	1059
9300	2916	1621	2234	1605	545	1074
9900	3105	1726	2360	1709	520	1128
10500	3105	1726	2360	1709	570	1128
11100	3105	1726	2360	1709	580	1138
11700	3273	1819	2507	1801	554	1188
12300	3273	1819	2507	1801	580	1188
12900	3273	1819	2507	1801	607	1200
13500	3425	1904	2624	1885	577	1243
14100	3425	1904	2624	1885	607	1243
14700	3425	1904	2624	1885	650	1243
15400	3425	1904	2624	1885	657	1263
16100	3632	2018	2782	1998	612	1318
16900	3632	2018	2782	1998	638	1318
17800	3632	2018	2782	1998	683	1318
18800	3632	2018	2782	1998	699	1343
20000	3905	2170	2990	2148	652	1416

ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)




A 型丹福尔锚
DANFORTH HHP ANCHOR A TYPE



锚的名义重量kg NOMINAL WEIGHT	A	C	L	B	H
50	800	485	710	355	226
68	890	540	790	395	250
75	920	555	815	410	260
100	1010	610	900	450	285
125	1090	660	970	485	310
150	1166	700	1030	515	326
200	1273	770	1132	566	360
227	1328	803	1180	590	375
250	1371	829	1220	610	390
300	1457	881	1296	648	411
350	1534	928	1364	682	433
400	1604	970	1426	713	452
450	1668	1009	1483	741	470
500	1727	1044	1537	768	487
700	1932	1169	1719	859	545
750	1977	1196	1759	879	558
770	1995	1206	1774	887	563
900	2100	1271	1869	934	593
1000	2176	1316	1936	967	614
1150	2280	1379	2028	1014	643
1250	2345	1418	2085	1042	661
1350	2405	1455	2140	1069	679
1500	2491	1507	2216	1107	703
1820	2657	1607	2364	1181	750
2000	2742	1658	2439	1219	774
2270	2860	1730	2544	1271	807
2500	2954	1786	2627	1313	833
3000	3139	1898	2792	1395	886
4500	3593	2173	3196	1597	1014
5670	3881	2347	3452	1725	1095
6804	4124	2494	3668	1833	1164
8165	4383	2651	3898	1948	1237

ANCHORS&CASTINGS



B 型丹福尔大抓力锚
DANFORTH H.H.P ANCHOR B TYPE




锚的名义重量kg NOMINAL WEIGHT	A	B	C	L	H
45	746	140	450	710	192
70	864	163	521	822	222
100	974	183	587	926	251
150	1115	210	672	1081	287
200	1227	231	740	1187	316
250	1322	249	797	1257	340
300	1404	265	847	1336	362
350	1479	278	891	1407	381
400	1546	291	932	1471	398
450	1608	303	969	1530	414
500	1665	314	1004	1584	429
550	1719	324	1036	1635	443
600	1769	333	1067	1683	456
650	1817	342	1095	1728	468
700	1863	351	1123	1772	480
750	1906	359	1149	1818	491
800	1948	367	1174	1853	502
850	1987	374	1198	1890	512
900	2026	382	1221	1927	522
950	2063	389	1244	1962	531
1000	2098	395	1265	1996	540
1350	2318	437	1397	2205	597
1500	2402	452	1448	2285	618
1800	2552	481	1538	2428	657
2000	2643	498	1593	2515	680
2270	2758	519	1662	2623	710
2500	2849	537	1717	2710	733
2750	2938	554	1771	2795	756
3000	3025	570	1823	2877	779
3200	3092	583	1864	2941	796
3500	3185	600	1920	3030	820
3750	3260	614	1965	3101	839
4000	3332	628	2008	3169	858
4300	3410	642	2056	3244	878

锚的名义重量kg NOMINAL WEIGHT	A	B	C	L	H
4700	3515	662	2119	3344	905
5000	3587	676	2162	3412	923
5300	3661	690	2207	3483	943
5700	3747	706	2259	3564	965
6000	3814	719	2299	3629	982
6500	3918	738	2362	3727	1009
6800	3976	749	2397	3783	1024
7000	4011	756	2418	3816	1033
7250	4063	765	2449	3865	1046
7700	4142	780	2497	3940	1066
8000	4196	791	2530	3992	1080
8500	4281	806	2581	4073	1102
9000	4363	822	2630	4151	1123
9500	4442	837	2678	4223	1144
10000	4518	851	2723	4298	1163
10500	4596	866	2771	4372	1183
11000	4670	880	2815	4443	1202
11500	4733	892	2853	4502	1218
12000	4804	905	2896	4570	1237
12500	4870	917	2936	4633	1254
13000	4930	929	2972	4690	1269
13500	4992	940	3009	4749	1285
14000	5056	952	3048	4810	1302
14500	5112	963	3082	4864	1316
15000	5179	976	3122	4927	1333
15500	5230	985	3153	4975	1346
16000	5291	997	3189	5033	1362
16500	5344	1007	3221	5084	1376
17000	5398	1017	3254	5136	1390
17500	5444	1026	3282	5179	1402
18000	5501	1038	3316	5233	1416
18500	5549	1045	3345	5279	1429
19000	5598	1054	3374	5325	1441
19500	5647	1064	3404	5372	1454
20000	5696	1073	3435	5420	1467

ANCHORS&CASTINGS

轻量型锚 LIGHT WEIGHT TYPE ANCHOR




锚的名义重量 kg NOMINAL WEIGHT	A	L	H	C	B
70	1185	1130	348	686	450
90	1205	1140	360	737	480
140	1345	1270	414	825	540
180	1460	1380	450	895	584
230	1560	1480	482	952	610
340	1750	1640	560	1068	680
450	1910	1800	610	1165	740
680	2190	2080	700	1340	840
910	2350	2200	762	1435	940
1140	2580	2450	825	1575	1000
1360	2750	2600	880	1680	1060
1500	2830	2680	912	1730	1080
1820	2940	2790	952	1800	1120
2270	2990	2840	984	1830	1130
2730	3150	2990	1040	1930	1200
3180	3200	3030	1070	1960	1240
3630	3250	3070	1105	1980	1276
4100	3380	3200	1150	2060	1330

锚的名义重量 kg NOMINAL WEIGHT	A	L	H	C	B
4540	3490	3310	1180	2130	1370
5000	3600	3420	1226	2200	1400
5500	3710	3520	1264	2260	1450
5900	3810	3610	1296	2320	1500
6400	3910	3710	1334	2390	1540
6800	3990	3790	1362	2440	1570
7300	4080	3870	1394	2490	1570
7700	4170	3950	1422	2540	1640
8200	4240	4020	1448	2590	1670
8600	4320	4100	1474	2640	1700
9100	4390	4170	1500	2690	1730
10000	4540	4300	1546	2770	1780
11400	4730	4400	1614	2890	1860
13600	5030	4800	1716	3020	1980
15000	5200	4950	1774	3170	2050
16000	5290	5050	1804	3230	2080
18000	5540	5280	1904	3330	2180
20000	5710	5450	1950	3480	2250

ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)

美国海军锚 U.S. NAVY ANCHOR



锚的名义重量 kg NOMINAL WEIGHT	A	B	C	C ₁	H	L
136	726	635	518	124	348	562
181	799	698	569	137	383	619
226	861	753	614	148	412	668
272	915	800	652	156	439	709
362	1007	880	718	172	482	781
453	1084	948	773	186	520	941
544	1153	1008	822	197	552	894
589	1184	1035	844	203	567	918
680	1242	1086	885	213	595	962
748	1281	1120	913	220	614	993
816	1319	1154	941	226	632	1023
907	1367	1195	975	234	655	1060
997	1411	1234	1006	242	676	1094
1134	1473	1288	1050	252	706	1142
1247	1541	1347	1098	264	738	1194
1360	1608	1406	1146	275	770	1246
1470	1628	1424	1161	279	780	1263
1587	1648	1441	1176	282	790	1279
1700	1686	1474	1202	284	808	1307
1814	1723	1506	1228	295	826	1335
2041	1790	1565	1276	307	858	1388
2268	1856	1623	1323	318	889	1439
2495	1914	1674	1365	328	917	1484
2721	1972	1724	1406	338	945	1529
2948	2024	1770	1443	348	970	1569


锚的名义重量 kg NOMINAL WEIGHT	A	B	C	C ₁	H	L
3175	2075	1815	1480	355	995	1568
3289	2099	1836	1504	359	1006	1610
3402	2123	1856	1528	363	1018	1662
3628	2170	1897	1547	371	1040	1682
3855	2214	1936	1579	379	1040	1682
4082	2258	1974	1610	386	1082	1751
4309	2298	2009	1639	393	1101	1782
4536	2338	2044	1667	400	1120	1813
4763	2376	2078	1694	407	1138	1813
4989	2414	2111	1721	414	1157	1872
5216	2450	2142	1747	420	1174	1900
5443	2485	2173	1772	426	1191	1927
5670	2519	2203	1796	431	1207	1953
5896	2552	2232	1820	437	1223	1979
6237	2600	2273	1854	445	1240	2016
6577	2647	2314	1887	453	1268	2052
6804	2674	2340	1908	458	1283	2075
7031	2704	2366	1929	464	1297	2098
7257	2734	2391	1949	469	1311	2120
7484	2762	2415	1969	474	1324	2141
7711	2789	2439	1989	478	1337	2163
8164	2844	2487	2028	487	1363	2205
8391	2870	2510	2047	491	1378	2226
8618	2895	2532	2065	496	1388	2246
8845	2921	2554	2083	500	1400	2265

锚的名义重量 kg NOMINAL WEIGHT	A	B	C	C ₁	H	L
9072	2946	2576	2101	505	1412	2285
9356	2976	2602	2122	510	1421	2308
9639	3005	2628	2143	515	1441	2331
9923	3035	2654	2164	520	1455	2351
10206	3064	2679	2184	525	1469	2375
10490	3092	2703	2204	530	1482	2397
10733	3119	2727	2224	535	1495	2419
11057	3147	2751	2244	539	1508	2440
11340	3174	2775	2263	544	1521	2461
11907	3224	2819	2298	552	1545	2500
12474	3273	2862	2334	561	1568	2536
13041	3323	2905	2369	569	1592	2576
13608	3372	2948	2404	577	1616	2614
14175	3416	2988	2436	585	1637	2649
14742	3460	3028	2468	593	1659	2684
15306	3505	3066	2500	601	1681	2719
15876	3550	3104	2531	608	1701	2752
16443	3591	3140	2560	615	1721	2784
17010	3631	3175	2589	622	1740	2816
17577	3671	3210	2618	629	1760	2847
18144	3711	3245	2646	635	1779	2876
18711	3748	3278	2672	642	1795	2906
19278	3775	3308	2699	648	1811	2935
19845	3822	3342	2726	656	1831	2965
20412	3859	3376	2752	661	1850	2993

ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)

鲍德特锚 BALDT TYPE ANCHOR





锚的名义重量 kg NOMINAL WEIGHT	A	B	C	C ₁	H	L
90	649	551	384	115	280	512
140	738	627	437	131	319	583
180	816	693	483	145	353	644
230	858	729	508	153	371	677
320	912	775	540	162	394	720
340	971	825	575	173	420	766
350	1030	875	610	183	445	813
410	1081	901	628	189	458	837
450	1078	916	638	192	466	850
500	1130	960	669	201	488	892
540	1183	1005	700	210	511	933
570	1216	1033	720	216	526	950
650	1240	1053	734	221	536	978
680	1262	1082	747	224	545	995
700	1286	1092	761	229	556	1014
730	1308	1111	774	233	565	1032
770	1368	1162	810	243	591	1080
800	1428	1213	845	254	617	1126
850	1445	1227	855	257	624	1140
910	1460	1240	864	260	631	1157
950	1477	1254	874	263	638	1165
1140	1492	1267	883	265	645	1177
1370	1519	1290	899	270	656	1198
1380	1544	1312	914	275	667	1218
1500	1608	1366	952	286	695	1269
1590	1641	1393	971	292	709	1294

锚的名义重量 kg NOMINAL WEIGHT	A	B	C	C ₁	H	L
1740	1673	1421	990	297	723	1320
1820	1694	1439	1003	301	732	1337
1920	1749	1485	1035	311	755	1380
2040	1803	1531	1067	321	779	1422
2270	1857	1577	1099	330	802	1465
2500	1909	1622	1130	340	825	1508
2610	1963	1677	1162	349	848	1549
2720	2017	1713	1194	359	872	1592
2860	2031	1725	1202	361	877	1602
2950	2044	1736	1210	364	883	1613
3080	2068	1756	1224	368	893	1636
3180	2092	1776	1238	372	904	1650
3320	2114	1795	1251	376	913	1668
3450	2136	1818	1264	380	923	1685
3670	2152	1828	1274	383	930	1698
3900	2168	1814	1283	386	937	1710
4080	2220	1886	1314	395	957	1752
4540	2254	1914	1334	401	974	1776
4990	2286	1943	1354	407	988	1805
5230	2321	1972	1374	413	1003	1832
5440	2355	2000	1394	418	1018	1858
5665	2423	2058	1434	431	1046	1912
5890	2489	2114	1473	443	1075	1964
6120	2533	2151	1499	450	1094	1998
6350	2575	2187	1524	458	1113	2031
6580	2629	2233	1556	468	1136	2074

锚的名义重量 kg NOMINAL WEIGHT	A	B	C	C ₁	H	L
6800	2681	2277	1587	477	1159	2115
7260	2735	2323	1619	487	1182	2158
7720	2788	2368	1650	496	1205	2199
8170	2816	2392	1667	501	1217	2222
8370	2886	2451	1708	513	1247	2277
8570	2953	2508	1748	525	1276	2330
8820	3023	2567	1789	538	1306	2379
9070	3090	2626	1829	550	1335	2438
9640	3149	2675	1864	560	1361	2485
10200	3208	2725	1899	571	1386	2531
10770	3267	2775	1934	581	1412	2578
11340	3325	2824	1968	591	1437	2623
12470	3418	2903	2023	608	1477	2697
13600	3511	2982	2078	6124	1517	2770
14100	3540	3006	2095	630	1529	2793
14750	3583	3044	2121	637	1548	2827
15400	3627	3080	2147	645	1567	2862
16100	3671	3118	2173	653	1586	2897
16900	3715	3156	2199	661	1605	2931
17400	3759	3193	2225	669	1624	2966
17800	3798	3226	2248	676	1641	2997
18300	3847	3267	2277	684	1662	3035
18800	3891	3305	2303	692	1681	3070
19400	3935	3342	2329	700	1700	3105
20000	3979	3379	2355	708	1719	3139
20400	4033	3425	2387	717	1743	3182

ANCHORS&CASTINGS

鲍德特避风定位锚 SNUG STOWING ANCHOR BALDT TYP




锚的名义重量 kg NOMINAL WEIGHT	A	B	C	H	L
90	755	406	505	302	745
113	836	438	544	326	804
136	889	465	579	346	855
154	917	485	604	361	891
181	978	512	637	381	940
204	1018	533	663	397	979
227	1055	552	687	411	1014
284	1136	595	740	443	1092
340	1207	632	786	470	1160
397	1271	665	828	495	1222
454	1329	696	865	518	1277
568	1432	749	932	558	1377
681	1521	796	991	593	1462
794	1601	838	1043	624	1538
851	1639	858	1067	638	1575
907	1674	876	1090	652	1609
1134	1803	943	1174	702	1733
1360	1916	1003	1248	746	1842
1475	1969	1030	1282	767	1892
1590	2018	1056	1314	786	1940
1705	2066	1081	1345	804	1986
1814	2109	1103	1373	821	2027
2041	2193	1148	1428	854	2108
2268	2272	1187	1479	884	2184
2495	2345	1227	1527	913	2254
2722	2414	1297	1572	940	2321
2949	2479	1330	1614	966	2381
3175	2541	1330	1655	990	2443

锚的名义重量 kg NOMINAL WEIGHT	A	B	C	H	L
3289	2571	1345	1674	1001	2472
3402	2600	1361	1693	1013	2500
3629	2657	1390	1730	1035	2554
3858	2711	1419	1765	1056	2606
4082	2763	1446	1799	1076	2656
4309	2814	1472	1832	1096	2705
4536	2862	1498	1864	1115	2751
4763	2909	1522	1894	1133	2797
4990	2955	1546	1924	1151	2840
5217	2999	1569	1934	1168	2863
5443	3042	1575	1950	1170	2883
5670	3084	1597	1977	1194	2923
5897	3124	1605	1986	1200	2937
6124	3164	1628	2015	1217	2979
6350	3202	1648	2039	1232	3015
6577	3241	1667	2063	1246	3050
6804	3278	1686	2087	1260	3085
7000	3308	1702	2106	1272	3115
7175	3337	1716	2124	1283	3140
7350	3362	1730	2141	1293	3166
7575	3398	1747	2162	1306	3198
7800	3431	1764	2184	1319	3229
8050	3466	1783	2207	1333	3263
8300	3501	1801	2230	1347	3296
8700	3558	1830	2265	1368	3349
9000	3599	1850	2291	1384	3387
9300	3637	1870	2316	1399	3424
9600	3676	1890	2340	1414	3460

锚的名义重量 kg NOMINAL WEIGHT	A	B	C	H	L
9900	3713	1910	2364	1428	3496
10200	3683	1930	2388	1442	3531
10500	3719	1949	2411	1456	3565
10800	3754	1967	2434	1470	3598
11100	3788	1985	2456	1483	3632
11400	3822	2003	2478	1496	3664
11700	3855	2020	2500	1509	3692
12000	3888	2037	2521	1522	3727
12300	3920	2054	2542	1535	3758
12600	3952	2070	2562	1547	3789
12900	3983	2087	2580	1559	3819
13200	4013	2103	2602	1571	3848
13500	4044	2119	2622	1583	3877
13800	4073	2135	2641	1595	3905
14100	4103	2150	2660	1606	3933
14400	4132	2165	2679	1618	3961
14700	4160	2180	2697	1629	3988
15050	4193	2197	2719	1642	4020
15400	4225	2214	2740	1654	4050
16150	4292	2249	2783	1681	4115
16900	4358	2283	2826	1707	4178
17350	4396	2302	2849	1721	4213
17800	4434	2323	2875	1737	4251
18300	4475	2344	2902	1753	4290
18800	4516	2366	2928	1769	4329
19400	4563	2390	2959	1787	4375
20000	4610	2415	2989	1806	4419

ANCHORS&CASTINGS

N型波尔锚 POOL ANCHOR (TYPE N)




锚的名义重量 kg NOMINAL WEIGHT	A	B	B ₁	C	C ₁	H
20	455	385	325	300	75	185
30	521	441	372	344	86	212
40	570	480	410	370	95	235
50	614	517	442	398	102	253
60	655	555	470	425	110	270
70	689	583	492	450	115	282
80	720	610	515	470	120	295
100	775	655	555	505	130	320
120	825	700	595	540	135	340
160	905	765	650	590	150	370
200	975	825	700	640	160	400
240	1040	880	745	680	175	425
280	1090	925	780	715	180	450
320	1140	965	820	748	190	470
360	1190	1005	855	780	195	490
400	1230	1040	885	805	205	505
440	1270	1075	910	830	210	520
480	1305	1105	940	855	215	535
520	1340	1135	960	875	220	550
560	1375	1165	985	900	230	565
600	1410	1195	1010	920	235	580
640	1440	1220	1035	940	240	590
720	1495	1265	1075	975	248	610
760	1528	1290	1098	1000	250	615
800	1550	1310	1115	1015	255	635
900	1615	1365	1160	1055	270	665

锚的名义重量 kg NOMINAL WEIGHT	A	B	B ₁	C	C ₁	H
1000	1670	1410	1200	1090	275	670
1250	1800	1525	1290	1175	300	740
1500	1910	1615	1370	1250	315	765
1750	2015	1705	1445	1320	335	775
2000	2080	1770	1500	1370	345	780
2250	2105	1850	1570	1430	350	812
2500	2240	1910	1620	1510	350	839
2900	2320	1980	1650	1510	350	855
3200	2390	2040	1700	1560	360	885
3500	2470	2110	1760	1610	380	910
3900	2580	2190	1820	1670	390	945
4300	2650	2260	1880	1730	400	980
4750	2730	2330	1950	1780	420	1010
5250	2820	2410	2010	1840	430	1040
5800	2910	2490	2080	1900	450	1080
6400	3010	2570	2150	1980	460	1110
7050	3110	2660	2220	2030	470	1150
7800	3250	2750	2290	2100	480	1190
8800	3320	2840	2370	2160	510	1225
9500	3430	2930	2450	2240	520	1270
10600	3550	3030	2530	2310	540	1310
11800	3670	3130	2610	2390	560	1355
12800	3790	3240	2700	2470	580	1400
14200	3920	3350	2790	2550	600	1450
15700	4030	3450	2880	2630	610	1490
17200	4150	3550	2960	2710	630	1540

ANCHORS&CASTINGS

焊接波尔锚 WELDING POOL ANCHOR




锚的名义重量 kg NOMINAL WEIGHT	A	B	B ₁	C	C ₁	L	H
60	586	356	205	534	200		
75	631	384	221	576	216		
90	671	405	234	612	229		
105	706	430	247	644	242		
125	748	455	261	682	256		
136	789	467	268	700	263		
160	812	494	284	741	278		
180	845	514	295	776	289		
225	910	554	318	830	311		
276	967	568	338	882	331		
315	1018	620	358	928	348		
360	1064	648	372	970	364		
430	1129	687	395	1030	386		
495	1164	720	413	1079	405		
585	1251	762	437	1141	428		
675	1312	799	458	1196	449		
765	1368	833	478	1247	468		
855	1419	864	496	1295	486		
976	1548	901	517	1350	506		
1080	1534	934	536	1399	525		
1195	1587	966	554	1447	543		

锚的名义重量 kg NOMINAL WEIGHT	A	B	B ₁	C	C ₁	L	H
1305	1634	995	571	1490	559		
1440	1688	1028	590	1540	578		
1575	1740	1059	608	1586	595		
1710	1788	1089	625	1630	612		
1845	1834	1117	641	1672	627		
1980	1877	1143	656	1712	642		
2140	1927	1173	673	1757	659		
2295	1972	1201	689	1798	675		
2475	2022	1232	707	1844	692		
2655	2070	1261	723	1888	708		
2835	2116	1289	739	1929	724		
3040	2165	1319	757	1975	741		
3240	2212	1347	773	2017	757		
3445	2258	1375	789	2059	772		
3670	2306	1404	806	2102	789		
3940	2361	1438	825	2153	808		
4210	2413	1470	843	2201	826		
4500	2463	1563	862	2250	844		
4840	2528	1540	883	2305	865		
5175	2585	1575	903	2357	884		
5515	2641	1609	923	2408	903		

锚的名义重量 kg NOMINAL WEIGHT	A	B	B ₁	C	C ₁	L	H
5850	2693	1641	941	2456	921		
6225	2749	1675	961	2507	941		
6525	2794	1701	976	2548	956		
6975	2855	1740	998	2604	977		
7425	2916	1776	1019	2658	997		
7875	2973	1811	1039	2711	1017		
8325	3029	1845	1068	2762	1036		
8775	3082	1878	1077	2811	1054		
9225	3134	1910	1095	2858	1072		
9675	3184	1940	1113	2903	1089		
10125	3233	1970	1130	2948	1106		
10575	3280	1999	1146	2991	1122		
11026	3326	2026	1162	3032	1138		
11550	3377	2058	1180	3060	1155		
12075	3428	2089	1198	3126	1173		
12676	3484	2123	1217	3177	1192		
13350	3544	2160	1230	3232	1213		
14100	3609	2200	1261	3291	1234		
15000	3685	2240	1288	3360	1261		
16125	3774	2300	1319	3442	1291		
17260	3860	2353	1349	3620	1321		

ANCHORS&CASTINGS

DZ三角型大抓力锚 DZ DELTA TYPE H.H.P ANCHOR



锚的名义重量 kg NOMINAL WEIGHT	A	B	C	D	E	F
100	781	869	693	329	999	66
150	893	993	793	377	1142	75
200	985	1096	875	416	1260	83
250	1061	1180	942	448	1357	90
300	1127	1254	1000	475	1442	95
350	1186	1320	1053	500	1517	100
400	1239	1378	1100	523	1585	105
450	1286	1433	1144	543	1648	109
500	1334	1485	1185	563	1707	113
550	1377	1532	1223	581	1762	116
600	1420	1580	1261	599	1817	120
650	1456	1620	1293	614	1863	123
700	1496	1664	1328	631	1914	126
750	1529	1701	1357	645	1956	129
800	1562	1738	1386	659	1998	132
850	1595	1774	1416	673	2040	135
900	1624	1807	1442	685	2078	137
1000	1684	1873	1495	710	2154	142
1500	1928	2145	1711	813	2486	163
2000	2122	2361	1884	895	2714	179
2500	2283	2541	2027	963	2921	193
3000	2428	2702	2156	1024	3106	205
3500	2557	2845	2270	1079	3271	216

锚的名义重量 kg NOMINAL WEIGHT	A	B	C	D	E	F
4000	2672	2973	2372	1127	3418	225
4500	2778	3090	2466	1172	3553	234
5000	2877	3200	2554	1213	3680	243
5500	2972	3307	2638	1254	3802	251
6000	3058	3402	2714	1290	3912	258
6500	3140	3494	2788	1325	4017	265
7000	3219	3582	2858	1358	4118	272
7500	3295	3666	2925	1390	4215	278
8000	3367	3747	2989	1421	4308	284
8500	3437	3824	3051	1450	4396	290
9000	3503	3897	3109	1478	4481	296
9500	3565	3967	3165	1504	4561	301
10000	3626	4036	3220	1530	4641	306
11000	3743	4165	3323	1579	4788	316
12000	3855	4289	3422	1626	4932	325
13000	3954	4399	3510	1668	5058	334
14000	4056	4513	3601	1711	5189	342
15000	4152	4619	3686	1751	5311	350
16000	4241	4718	3764	1789	5425	358
17000	4326	4813	3841	1825	5534	365
18000	4412	4909	3917	1861	5644	372
19000	4491	4997	3987	1895	5745	379
20000	4570	5085	4057	1928	5846	386

ANCHORS&CASTINGS

有杆锚 STOCK ANCHOR




锚的名义重量 kg NOMINAL WEIGHT	A	H	B	B ₁	L	L ₁
25	762	212	540	132	380	370
40	885	245	630	155	445	430
65	1038	288	740	180	520	500
90	1162	322	820	202	580	560
115	1258	350	890	220	630	610
140	1342	375	950	235	670	650
150	1380	385	980	240	690	670
180	1465	408	1040	255	730	710
205	1522	425	1080	268	760	740
215	1552	432	1100	270	770	750
240	1610	448	1140	280	800	780
265	1665	465	1190	290	820	800
290	1715	478	1220	300	850	830
315	1742	485	1240	305	870	840
330	1790	498	1270	312	890	860
355	1838	518	1300	320	920	890
395	1905	530	1350	332	950	920
445	1980	550	1400	345	990	960
485	2038	570	1440	355	1020	980
525	2085	580	1480	365	1040	1010
575	2152	600	1530	375	1070	1040
610	2200	610	1560	382	1100	1060
660	2255	630	1600	392	1130	1090
715	2312	650	1640	402	1160	1120
765	2360	660	1670	412	1180	1140
830	2428	680	1720	422	1210	1170
890	2495	700	1770	435	1250	1210
965	2560	710	1820	448	1280	1240
1045	2628	730	1860	458	1310	1270
1120	2685	750	1900	468	1340	1300
1195	2752	770	1950	480	1370	1330
1270	2808	780	1980	490	1400	1360
1350	2855	800	2030	498	1430	1380
1425	2912	810	2070	510	1460	1410
1500	2960	820	2110	520	1480	1440
1575	3008	840	2130	530	1510	1460
1655	3055	850	2170	530	1530	1480
1740	3112	870	2210	540	1560	1510
1830	3170	880	2250	550	1590	1540
1935	3228	900	2290	560	1620	1570
1985	3255	910	2310	570	1630	1580
2070	3302	920	2345	580	1660	1600
2160	3350	930	2380	590	1680	1630
2400	3470	960	2470	610	1740	1690

锚的名义重量 kg NOMINAL WEIGHT	A	H	B	B ₁	L	L ₁
2600	3560	990	2530	630	1790	1730
2800	3650	1010	2600	640	1830	1780
3000	3740	1030	2660	660	1870	1820
3200	3820	1060	2710	670	1920	1860
3400	3900	1080	2770	690	1950	1900
3600	3970	1100	2820	700	1990	1930
3800	4040	1120	2870	710	2030	1970
4000	4110	1140	2920	720	2060	2000
4300	4210	1170	2990	740	2110	2060
4650	4330	1200	3070	760	2170	2100
5000	4430	1230	3150	780	2220	2160
5300	4520	1250	3210	800	2270	2200
5650	4620	1280	3280	810	2310	2250
6000	4710	1310	3350	830	2360	2290
6300	4790	1330	3400	840	2400	2330
6550	4850	1350	3440	850	2430	2360
7000	4960	1380	3520	870	2490	2410
7500	5070	1410	3600	890	2540	2470
8000	5180	1440	3680	910	2560	2520
8500	5290	1470	3760	930	2650	2570
9000	5390	1500	3830	950	2700	2620
9500	5480	1520	3900	970	2750	2670
10000	5580	1560	3970	970	2800	2720
10500	5670	1580	4030	1000	2850	2760
11000	5670	1660	4100	1020	2890	2800
11500	5860	1620	4140	1030	2930	2840
12000	5930	1650	4020	1040	2980	2890
12500	6010	1670	4270	1060	3020	2930
13000	6090	1690	4330	1070	3060	2970
13500	6170	1710	4380	1090	3090	3000
14000	6250	1730	4440	1100	3130	3040
14500	6320	1750	4490	1110	3170	3070
15000	6390	1770	4540	1130	3210	3110
15500	6460	1790	4590	1140	3240	3140
16000	6530	1820	4640	1150	3270	3180
16500	6600	1830	4690	1160	3310	3210
17000	6660	1850	4730	1170	3340	3240
17500	6730	1870	4780	1190	3370	3270
18000	6790	1890	4830	1200	3410	3300
18500	6850	1900	4870	1210	3440	3330
19000	6920	1920	4910	1220	3470	3360
19500	6980	1940	4960	1230	3500	3390
20000	7040	1950	5000	1240	3530	3420

ANCHORS&CASTINGS

单爪锚 SINGLE FLUKE ANCHOR




锚的名义重量 kg NOMINAL WEIGHT	A	C	B	B ₁	L	L ₁
75	1090	305	385	190	545	600
100	1200	335	425	210	600	660
150	1375	380	485	240	685	755
200	1510	420	535	265	755	835
300	1895	480	615	300	865	955
400	1905	530	675	332	950	1050
500	2052	570	730	358	1020	1130
560	2152	600	755	375	1070	1190
700	2318	646	813	404	1150	1280
800	2428	680	850	422	1210	1340
1000	2615	730	915	455	1300	1440
1600	3008	840	1070	530	1510	1660
1810	3137	880	1115	550	1575	1730
2270	3379	940	1200	595	1695	1865
2400	3455	960	1325	600	1730	1700
3200	3808	1060	1460	660	1910	2100
4000	4102	1140	1570	715	2060	2260
4536	4278	1180	1640	745	2150	2360
4800	4360	1210	1665	760	2190	2400
5000	4420	1230	1690	770	2220	2430
5600	4590	1280	1765	800	2300	2530

锚的名义重量 kg NOMINAL WEIGHT	A	C	B	B ₁	L	L ₁
6000	4697	1310	1805	820	2350	2590
6400	4798	1340	1810	840	2400	2640
7000	4943	1390	1865	865	2470	2720
7200	5000	1390	1915	870	2500	2750
8000	5143	1430	1970	895	2570	2830
8800	5247	1460	2010	914	2630	2890
9600	5324	1480	2040	926	2660	2930
10400	5352	1490	2055	933	2680	2950
11200	5390	1500	2065	939	2700	2970
12000	5428	1510	2080	945	2720	2990
12800	5446	1520	2095	950	2740	3010
13600	5475	1530	2105	960	2750	3030
14400	5513	1540	2120	960	2770	3050
15200	5551	1550	2135	970	2790	3070
16000	5619	1573	2221	984	2791	3164
16800	5713	1600	2258	1001	2838	3217
17600	5800	1624	2292	1016	2881	3267
18500	5900	1652	2332	1034	2931	3323
19500	6006	1682	2374	1052	2984	3383
20500	6106	1710	2413	1070	3034	3439
22000	6250	1750	2470	1095	3105	3520

ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)



F2005导缆孔尺寸表 DIMENSIONS OF DECK MOUNTING CHOCK

NOMINAL N.O.	L	L ₁	H	H ₁	H ₂	B	Kg
100	100	170	76	30	35	60	3.7
150	150	250	110	45	50	90	10.5
200	200	340	150	60	70	120	24


F2005导缆孔尺寸表 DIMENSIONS OF DECK MOUNTING CHOCK

NOMINAL N.O.	L	L ₁	H	H ₁	H ₂	B	Kg
250	250	434	200	80	92	160	48
300	300	528	250	100	114	200	83
350	350	600	250	110	125	220	103
400	400	672	250	120	136	240	136
450	450	746	250	130	148	260	184
500	500	820	250	140	160	280	232




EU-3导缆孔尺寸表 DIMENSIONS OF DECK MOUNTING CHOCK

NOMINAL N.O.	L	L ₁	L ₂	H	H ₁	H ₂	B	Kg
315×250	315	760	815	250	620	365	380	280
425×280	425	900	1075	280	785	450	500	378
600×315	600	1200	1360	315	865	507	560	598
600×450	600	1200	1360	450	1000	575	560	707
600×450	600	1370	1560	450	1200	675	760	1050




ANCHORS&CASTINGS

[Http://www.goodanchor.net](http://www.goodanchor.net)



F2015铸钢掣链器装配尺寸表
DIMENSIONS OF CHAIN CABLE STOPPER


NOMINAL NO.	B	B ₁	H	H ₁	H ₂	L	Kg
38~40	336	230	378	178	130	540	111
42~44	366	252	412	192	142	590	139
46~48	397	273	450	213	155	640	175
50~52	428	294	491	232	170	695	216
54~56	457	315	528	250	182	745	261
58~60	488	336	564	270	195	795	319
62~64	517	357	600	280	208	850	396
66~68	547	377	635	296	220	900	482
70~73	582	402	675	317	233	960	608
76~78	617	427	715	338	245	1020	739



F2023铸钢掣链器装配尺寸表
DIMENSIONS OF CHAIN CABLE STOPPER


NOMINAL NO.	B	B ₁	H	H ₁	H ₂	L	Kg
17~19	134	112	190	107	62	270	17
20~22	153	129	216	121	72	310	24
23~25	175	147	241	136	82	345	33
26~28	193	163	270	153	92	385	44
29~32	220	186	305	174	104	435	67
34~36	246	208	342	194	118	490	92

ANCHORS&CASTINGS




掣链器托架装配尺寸表
DIMENSIONS OF SMIT BRACKET SHAFT

NOMINAL NO.	A	B	C	E	F	D	H	S	Kg
54	500	450	115	75	140	78	20	120.5	104
64	625	600	138	100	180	92	26	138	193
76	800	720	170	110	228	110	36	175	375



开式滚轮装配尺寸表
DIMENSIONS OF OPEN TYPE ROLLER


NOMINAL NO.	D	D ₁	D ₂	H	H ₁	d ₁	d ₂	Kg
75	75	130	110	105	92	30	50	8
100	100	180	160	160	140	40	66	16.5
125	125	202	185	161	144	50	78	22.5
150	150	240	220	198	170	60	90	32.1
200	200	310	280	235	209	80	115	64.6
250	250	380	340	280	247	90	140	108
300	300	440	400	305	270	110	160	159
350	350	500	455	330	293	125	180	235
400	400	560	520	355	316	140	200	336
450	450	620	585	380	339	160	220	462



欧式滚轮装配尺寸表
DIMENSIONS OF EU ROLLER

NOMINAL NO.	D	D ₁	d	H	S	Kg
150	150	240	90	152	5	25
200	200	310	115	183	5	50
250	250	380	135	224	6	92
300	300	440	150	255	7	132
350	350	500	175	284	7	168
400	400	560	180	300	7	258
450	450	630	205	332	9	397
500	500	700	220	365	9	517


ANCHORS&CASTINGS



EU₂-4导缆孔尺寸表

DIMENSIONS OF BULWARK MOUNTING CHOCK


NOMINAL NO.	L	L ₁	L ₂	H	H ₁	H ₂	B	Kg
315×250	315	497	695	250	432	630	342	198
425×280	425	661	925	280	516	780	450	358
600×315	600	866	1160	315	571	875	504	547
600×450	600	866	1160	450	706	1010	504	629
800×600	800	1260	1360	600	1060	1160	504	813



EU₁-5导缆孔尺寸表

DIMENSIONS OF DECK MOUNTING CHOCK


NOMINAL NO.	L	L ₁	L ₂	H	H ₁	H ₂	B	Kg
600×315	600	1200	1360	315	865	507	560	728
600×450	600	1200	1360	450	1000	575	560	840



EU₂-8导缆孔尺寸表

DIMENSIONS OF BULWARK MOUNTING CHOCK


NOMINAL NO.	L	L ₁	L ₂	H	H ₁	H ₂	B	Kg
600×315	600	866	1160	315	571	875	504	744
600×450	600	866	1160	450	706	1010	504	828



西德导缆孔尺寸表(A)

DIMENSIONS OF MOORING CHOCK


NOMINAL NO.	H	H ₁	H ₂	L	L ₁	B	Kg
A ₁	90	175	250	285	125	160	18
A ₂	115	225	315	360	160	200	26
A ₃	140	275	390	450	200	250	42
A ₄	180	340	480	550	250	300	74
A ₅	225	415	585	680	320	360	120
A ₁₂	270	500	710	840	400	440	185
A ₂₂	320	595	840	1020	500	520	285
A ₃₂	400	800	1100	1300	600	700	795



西德导缆孔尺寸表(C)


DIMENSIONS OF MOORING CHOCK

NOMINAL NO.	H	H ₁	H ₂	L	L ₁	B	Kg
C ₁	90	125	250	285	125	160	19.6
C ₂	115	157.5	315	360	160	200	29
C ₃	140	195	390	450	200	250	48
C ₄	180	240	480	550	250	300	85
C ₅	225	292.5	585	680	320	360	136
C ₁₂	270	355	710	840	400	440	211
C ₂₂	320	420	840	1020	500	520	325
C ₃₂	400	550	1100	1300	600	700	840




F2017-AC导缆孔尺寸表
DIMENSIONS OF DECK MOUNTING CHOCK

NOMINAL NO.	L	L ₁	L ₂	H	H ₁	B	Kg
310	310	708	652	639	541	358	253
360	360	760	704	640	542	358	289
400	400	804	750	642	545	358	323
450	450	856	802	643	547	358	351
500	500	908	854	644	549	358	395



F2017-AP导缆孔尺寸表
DIMENSIONS OF DECK MOUNTING CHOCK


NOMINAL NO.	L	L ₁	L ₂	H	H ₁	B	Kg
310	310	670	620	620	530	360	190
360	360	720	670	620	530	360	207



F2017-BC导缆孔尺寸表
DIMENSIONS OF BULWARK MOUNTING CHOCK


NOMINAL NO.	L	L ₁	L ₂	H	H ₁	B	Kg
310	310	734	652	684	462	358	276
360	360	788	704	688	464	358	305
400	400	832	750	692	470	358	344
450	450	886	802	696	474	358	385
500	500	940	854	700	478	358	422

ANCHORS&CASTINGS




F2017-BP导缆孔尺寸表
DIMENSIONS OF DECK MOUNTING CHOCK

NOMINAL NO.	L	L ₁	L ₂	H	H ₁	B	Kg
310	310	702	620	652	440	360	184
360	360	752	670	652	440	360	193



F2030-A导缆孔尺寸表
DIMENSIONS OF BOLWARK MOUNTING CHOCK

NOMINAL NO.	L	L ₁	H	H ₁	B	Kg
400	400	780	300	680	350	210
500	500	940	400	840	400	340
600	600	1100	450	950	450	490
700	700	1260	500	1060	500	600
800	800	1420	600	1220	550	880




F2030-B导缆孔尺寸表
DIMENSIONS OF BULWARK MOUNTING CHOCK

NOMINAL NO.	L	L ₁	L ₂	H	H ₁	H ₂	H ₃	H ₄	B	Kg
400	400	800	800	300	320	300	200	260	350	190
500	500	960	720	400	370	350	250	310	400	310
600	600	1120	840	450	420	400	300	360	450	460
700	700	1280	960	500	470	450	350	410	500	660
800	800	1440	1080	600	520	500	400	460	550	830

ANCHORS&CASTINGS

F2007-A导缆孔尺寸表


DIMENSIONS OF BULWARK CHOCK



NOMINAL NO.	L	L ₁	L ₂	H	H ₁	H ₂	B	NO. of ribs	Kg
150	150	300	270	110	260	202	129	4	15.1
200	200	368	334	150	318	250	143	4	20.5
250	250	430	394	200	380	308	155	4	26.9
300	300	500	460	250	450	372	169	4	42.7
350	350	560	518	250	460	378	179	6	50.8
400	400	632	586	250	482	394	195	6	78.3
450	450	700	650	250	500	406	209	6	102
500	500	760	708	250	510	412	219	6	115

F2007-B导缆孔尺寸表

DIMENSIONS OF BULWARK CHOCK



NOMINAL NO.	L	L ₁	L ₂	B	Kg
150	150	318	288	144	17.5
200	200	380	346	155	23.5
250	250	450	414	169	37.5
300	300	510	470	179	45.5

三级掣链器装配尺寸表


DIMENSIONS OF 3G.CHAIN CABLE STOPPER



NOMINAL NO.	L	L ₁	B	B ₁	B ₂	H	H ₁	h	h ₁	Kg
54	1297	215	460	388	388	465	610	62	128	560
76	1800	300	640	540	540	648	850	86	178	1421

F2002铸钢掣链器装配尺寸表


DIMENSIONS OF CHAIN CABLE STOPPER



NOMINAL NO.	B	B ₁	H	H ₁	H ₂	L	No.	Kg
17~19	195	112	190	107	82	270	4	22
20~22	215	129	216	121	72	310	6	31
23~25	240	147	241	136	82	345	6	44
26~28	265	163	270	153	92	385	6	59
29~32	305	186	305	174	104	435	6	90
34~36	340	208	342	194	118	490	6	122
38~40	370	230	378	215	130	540	6	161
42~44	405	252	412	235	142	590	6	209
46~48	440	273	450	258	155	640	6	272
50~52	470	294	491	282	170	695	8	338
54~56	495	315	522	299	182	745	8	414
58~60	530	336	564	327	195	795	8	505
62~64	565	357	600	346	208	850	8	619
66~68	590	377	635	367	220	900	8	736

F2031三级掣链器装配尺寸表

DIMENSIONS OF F2031.CHAIN CABLE STOPPER



NOMINAL NO.	L	B	B ₁	H	H ₁	Kg
58/60	780	600	540	394	182	505
62/64	835	630	570	421	191	598
66/68	885	660	600	446	200	715
70/73	950	700	640	478	212	862
76/78	1015	750	680	511	222	1038
81/84	1095	800	720	550	235	1305
87/90	1170	850	770	588	248	1547
92/95	1235	900	810	620	260	1804
100/102	1350	950	860	665	276	2308
105/107	1400	1000	900	703	289	2698
111/114	1480	1050	940	742	302	3062
117/122	1585	1120	995	790	318	3672